


Development Services Major Project List

Development Type	Project Name	Council District	Map #	Square feet/ units/ rooms	Project Valuation	Completion Target	Preliminary Submittal	Preliminary Comments	Planning File No.	Planning Submittal	Planning Approval	Plan Check Submittal	Plan Check Approval	Building Permit	Demo Start	Grading Start	Construction Start	Progress Comments		
Industrial	1 Samsung Semiconductor Headquarters	Northwest corner of N First St and W Tasman Dr	4	1	636,145 sf	\$262,026,029	Target July 2015	12/7/2012	y	H13-001	1/3/13	3/20/13	5/31/13 (cold shell) 7/1/13 (warm shell)	7/9/13 (pile) 8/8/13 (foundation) 8/28/13 (cold shell) 12/3/13 (warm shell)	y	y	y	y	10/15/14 Site Development Permit Amendment (HA13-001-01) filed to allow a natural gas pipeline to remain at its current location. 8/20/14 meeting with PG&E to coordinate pipeline relocation. 8/15 topping off of the building's tenth story. 7/14/14 PC14-001104 expired. 7/21/14 BP14-001111 expired. 5/8 meeting with PG&E to coordinate pipeline relocation. 3/13 CPUC approved gas pipeline relocation; Samsung to enter into a contract with PG&E to proceed with final design for pipeline relocation. 2/12 building permit issued for tenant improvements for multi-purpose room, auditorium, activity center, library, café break room, incubator hub, and security offices (PC#14-001104, BP#14-001111).	
	2 101 Tech/Ellis Partners	West side of Orchard Pkwy at the terminus of Atmel Way	4	2	666,000 sf			y	y	H12-008	y	y							10/9/14 Street Naming Permit filed to rename Atmel Way to Orchard Ct (ST14-004). 4/10/14 Permit Adjustment approved to modify Phase 1 of Development Option A to allow the option to: (1) reduce the height of two R&D office buildings from 6 stories to 5 stories; and (2) remove the construction of the parking structure (AD14-363). 4/24/13 grading inspection complete for stockpiles (#3-06472).	
	3 Airport Westside Facility	East side of Martin Ave, between Brokaw Rd and De La Cruz Blvd	3	2	277,600 sf			8/16/13	9/6/13	H13-039	10/4/13	2/14/14	5/20/14	Target Nov 2014		y	y			Building anticipating foundation only permit ready by next week for the terminal, and will likely be able to issue superstructure permit for hangars and terminal the beginning of November. 8/28 Public Works review completed for improvement plans, issuance pending construction agreement and bonds (#3-07091). 8/22/14 foundation only permits issued for Hangars 1, 2, 5 and 6 (PC#14-029951, -759, -73, -74). 8/5 foundation only permits issued for Hangars 3 and 4. 5/20 Building plan check submittal meeting. 4/29 grading permit issued with soil mitigation plan for structure foundations. 3/20 grading permit issued for site work (#3-07091). 2/12 Planning Commission hearing; appeal denied, Planning Director's decision to approve permit upheld (H13-039). 1/24 Planning Director's approval decision appealed. 1/17 Planning Director's hearing for Site Development Permit. 12/3/13 CC consideration of height amendment and ground lease and operating agreement.
	4 America Center II	NW corner of Hwy 237 and Gold St	4	1																
	Building 3				800,000 sf	\$26,654,828		y	y	PD07-060	y	y	y	y		n/a				10/14/14 Plan Check (PC12-031417) expired. 9/2/14 meeting with developer. 12/20/13 Permit Adjustment approved to allow phased development of Buildings 3 and 4 (AD13-1184). 5/1/13 grading permit issued for rough grading (#3-09290). Cold shell building permit issuance pending Public Works clearance, payment of sanitary sewer connection and sewage treatment plant fees (PC#12-031417, BP#12-033177). 3/22 Building plan check comments sent for finish interior (PC#12-033249).
	Building 4					\$26,654,828		y	y	PD07-060	y	y	y	y		n/a				10/15/14 Plan Check (PC12-031424) expired. 9/2/14 meeting with developer. 12/20/13 Permit Adjustment approved to allow phased development of Buildings 3 and 4 (AD13-1184); need to submit updated grading plans to Public Works to reflect phasing plan with interim parking lot at Building 4 pad. 5/1 grading permit issued for rough grading (#3-09290). Cold shell building permit issuance pending Public Works clearance, payment of sanitary sewer connection and sewage treatment plant fees (PC#12-031424, BP#12-033178). 3/22/13 Building plan check comments sent for finish interior (PC#12-033257).
	Parking Garage					\$13,127,000		y	y	PD07-060	y	y	y			n/a				1/17/14 second building plan check comments sent, 1/10/14 second fire comments sent, 1/18/13 first plumbing/mechanical comments sent, 1/8/13 first electrical comments sent (PC#12-036728). 5/1/13 grading permit issued (#3-09290).
	Aloft Hotel				175 rooms	\$10,500,000		y	y	PD12-048	12/20/12	4/12/13	3/8/13	y	y	n/a	y	Y	4/1/14 building permit issued (PC#13-008022). 3/7 grading permit issued (#3-09290). 4/12/13 Planning approval.	
	5 Boston Properties	NE corner of N First St and Plumeria Dr	4	2	1,663,731 sf office with retail			7/11/12	8/21/12	H14-029	8/14/14	Target Dec 2014								10/21/14 Revised plans anticipated by Planning. 9/29/14 ARC meeting held. 9/12/14 30-day letter sent to applicant. 8/14/14 Site Development Permit submittal to demolish existing industrial buildings and construct a new 1,663,731 square feet of office with incidental retail, and structured parking (H14-029). 5/29 meeting with Boston Properties, Mayor and city staff. 8/21/12 Planning Preliminary Review completed (PRE12-066).
	6 Cisco Garages																			
Garage 1	South side of E Tasman Dr between Zanker Rd and Cisco Way	4	1	239,000 sf	\$17,685,186		y	y	H12-007	y	y	y	y	y	y	y	y	y	Building Permit Finaled. 12/20/13 building inspection final (PC#12-019806, BP#12-032960).	
Garage 2	South side of E Tasman Dr between Zanker Rd and Cisco Way	4	1	225,000 sf	\$20,920,814		y	y	H12-007	y	y	y	y	y	y	y	y	y	Building Permit Finaled. 11/6/13 building inspection final (PC#12-017139, BP#12-031253).	
Garage 3	NE corner of Tasman Dr and Vista Montana	4	1	319,000 sf	\$21,209,344		n/a	n/a	H13-003, H14-030 & H14-031 (gates)	y	3/20/13	2/21/13	6/21/13	6/27/13	y	y	y	y	Building Permit Finaled. 9/17/14 H14-030 (Site 2) and H13-041 (Site 3) approved to allow electric security gates. 2/6/14 latest building inspection: fire final, compaction report, and special inspection final letter required (BP#13-112289). 7/23/13 improvement plans approved and construction agreement executed (#3-11806). 6/27 building permit issued (PC#13-006339). 4/3 grading permit issued (#3-11806). 4/2 Planning permit effective: 6/4 Permit Adjustment approved to resolve shared driveway on Vista Montana.	
7 Coleman Highline	NW and SW corners of Coleman Ave and Newhall Dr	3	2																	
Master Site				1,000,000 sf			y	y	PDC09-004	y	y	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Resolved street alignments with soccer fields	
Phase A				357,106 sf	\$46,778,030		y	y	PD12-019	y	6/10/13	6/27/14							Permit Adjustment required for the height adjustment and landscape/stormwater review. 9/24/14 Improvement plans submitted (#3-18854). 8/29 First building comments sent for 6-story office building (PC#14-022869). 8/15 First Building comments sent for site work (PC#14-022899). 8/4 First Building comments sent for 5-story office building (PC#14-022862). 8/7/14 Public Works issuance of stockpile only permit for 0.7 acre area (#3-18854). 6/27 Building submittal for Buildings 1 and 2, and site work (PC#14-022862, PC#14-022869, PC#14-022899). Building 1 is a 5-story, 162,557 sf office shell; first plan review comments sent 8/15. Building 2 is a 6-story, 194,549 sf office shell. 8/18 first plan review comments sent for site work.	
8 HGST Great Oaks Campus	Bounded by Great Oaks Pkwy, Lexington Ave, Charlotte Drive, Raleigh Rd, Manassas Rd, Brooklyn Dr and Austin Rd	2	4	1,900,000 sf			n/a	n/a	PD06-032, PDA06-032-03	6/19/06 (master permit) 7/11/13 (demo, site mod)	9/27/13 (demo, site mod)	10/29/13 (site mod)							10/8/14 Revised plans submitted to Building for guard house, vehicular gate, site lighting (PC13-127370). Gate 4: IP review complete, pending construction agreement. 3/13/14 building permit pass sent to applicant for Gate 8 guardhouse and site improvements: 10/29/13 Building plan check submittal (PC#13-127370). 9/27 Planning approval to allow demolition of existing buildings, provide new campus entry at Great Oaks Pkwy, re-configure portion of Endicott Blvd, tree removals, and provide new pedestrian gate to Raleigh Linear Green Park (PDA06-032-03). Gate 4: IP review complete, pending construction agreement.	
Phase I				335,000 sf		Target June 2016	n/a	n/a	PD14-005, PDA14-005-01, PDA14-005-02, PDA14-005-03	1/31/14	6/6/14	10/22/2014							10/22/14 PDA14-005-03 set for Director's Hearing to amend architecture of 130,000sf office building. 10/8/14 grading comments sent. 10/3/14 PDA14-005-01 30-day letter sent. 9/5/14 PDA14-005-01 submitted to amend site plan, exterior, circulation, and parking. 9/12/14 PDA14-005-02 submitted for architectural changes of 104,073 sf R&D bldg. 7/11/14 Grading permit submitted (#3-18761). 6/6/14 Planning Director approval for Planned Development Permit for 335,000 sf of R&D office building and administrative office building, and site improvements (PD14-005).	
Phase II																				
9 Legacy 101	West side of Orchard Pkwy at the terminus of Component Dr	4	2	398,350 sf															PD07-081 set to expire 11/2/14 (extensions granted with AD09-087, AD11-423, AD13-1143). 10/21 Planning Permit Adjustment approved to allow special permit extension of PD07-081, expires 11/2/14 to align with PT08-010 extension allowed per AB116. 3/14 Improvement Plan ready to be issued, pending contract, bonds and agreement (3-18668). 6/21 minor revision comments sent for parcel map to subdivide one parcel into two lots (#3-18668).	
Building 1				199,175 sf			y	y	PD07-081	y	y	y	y						10/22/14 Building plan review completed. Issuance pending Public Works clearance, addressing, school letter, will-serve letter. 9/19/14 plans revised to exclude Building 1 from plumbing and mechanical scope (PC12-011853 & BP12-025195).	
Building 2				199,175 sf			y	y	PD07-081	y	y	y	y							
10 Lowe Enterprises	Both sides of Component Dr between N First St and Orchard Pkwy	4	2	2,800,000 sf			y	y	PD12-024	y	y	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Master Planned Development Permit established conceptual site layout and architecture.	
Phase I				438,000 sf office, 12,000 sf amenity bldg			y	y	PD13-007	2/14/13	11/13/13	12/6/13 (office bldgs)							9/23/14 Building plan check completed for buildings 200, 300, and 700. Issuance pending Addressing, Public Works Clearance (3-15461), flood sign-off, "will serve letter," school fee form, and cost documentation form. 8/18/14 fifth submittal for Building 200; 7/25 Building's fourth cycle comments sent for Building 200 (PC#13-132616). 7/15 Building plan review complete for Building 300; issuance pending Public Works clearance, and water district and school district forms (PC#13-132653). 5/28 Building plan review for Building 700 amenity building; issuance pending Public Works clearance, and water district and school district forms (PC#13-134653). 8/4 fourth comments provided for improvement plans, 6/5 third comments for parcel map (#3-15461). 3/28 grading third cycle comments sent (#3-15461).	
Phase II																				

Development Services Major Project List

Development Type	Project Name		Council District	Map #	Square feet/ units/ rooms	Project Valuation	Completion Target	Preliminary Submittal	Preliminary Comments	Planning File No.	Planning Submittal	Planning Approval	Plan Check Submittal	Plan Check Approval	Building Permit	Demo Start	Grading Start	Construction Start	Progress Comments	
Industrial	11 N First/Brokaw Corporate Campus	South side of Brokaw Rd between N First St and Bering Dr	3	2	2,025,350 sf	\$708,872,500		9/5/13	9/20/13	H13-040	10/16/13	3/21/14							10/1/14 Revisions requested for improvement plans. 6/26/14 improvement plans submitted to Public Works (#3-10074). 3/19/14 Planning Director's hearing; no appeals filed - permit in effect (H13-040). 11/19/13 CC hearing for rezoning (C13-045).	
	12 Skypart Phase III	Southwest side of the terminus of Technology Dr	3	2	350,000 sf office or 400 hotel rooms			n/a	n/a	PDC13-041	9/26/13	9/23/2014 2nd Reading 10/7/14							9/10/13 Planning Commission recommend approval, 9/23/13 City Council approved PDC13-041 approved with friendly amendment. 6/4 community meeting held at Bancroft Elementary School at 7 p.m. 4/16/14 Initial Study submitted, under review. 12/4/13 revised Planned Development Zoning plans received, application pending CEQA Initial Study submittal (PDC13-041). 11/20 rezoning referral to ALUC. 9/26 Planned Development Rezoning filed to allow 350,000 square feet of office/hotel uses and a 5-level parking structure on a 5.3 gross acre site, application completeness pending CEQA document. Architectural Review Committee meeting to be scheduled at PD Permit stage.	
	13 South Bay Development	NW of intersection of Hwy 237 and N. First St	4	1																9/25/13 grading permit issued to allow stockpiling of approximately 200,000 cubic yards of dirt for future development (#3-09684).
		Offices			614,800 sf			y	1/8/13	PD13-012	3/20/13	1/22/14								10/29/14 Presubmittal meeting building for two of the four office buildings. 9/16/14 Revisions requested for Parcel Map (#3-09684). 7/31/14 Parcel map submitted to Public Works (#3-09684). 12/4/13 Planning Director's hearing for Planned Development Permit for four buildings totaling 614,809 sf (PD13-012).
		Homewood Suites Hotel			150 rooms			11/20/13	12/20/13	H14-011	3/7/14	9/26/14								09/24/14 H14-011 approved at Director's Hearing. 5/19/14 Second submittal to Planning for Site Development Permit (H14-011). 4/15 City Council consideration of rezoning from A(PD) Planned Development to C1C Combined Industrial/Commercial Zoning District to allow hotel use. Ordinance No. 29403 passed for publication (C14-010). 3/7 rezoning and Site Development Permit applications filed. 12/20/13 Preliminary Review comments sent (PRE13-212). Approved at Director's Hearing 9/24/14.
	14 SuperMicro	SW corner of Ridder Park Dr and Schallenberger Rd	3	2	615,000 sf			4/18/14	5/1/14											10/10/14 Plan Review completed, pending other disciplines. 10/9/14 Revisions submitted to Building. 10/6/14 Second round of comments sent from Building. 9/16/14 Revised plans submitted to Building (PC#14-023977). 8/26/14 First Building comments sent (PC#14-023977). 8/15 Planning approval of Site Development Permit (H14-020). 6/10 City Council first reading for conforming rezoning to rezone from HI Heavy Industrial Zoning District to C1C Combined Industrial/Commercial Zoning District (C14-025). 5/20 Site Development Permit filed to allow one 182,000 square foot warehouse/office building (H14-020). 5/1 Preliminary Review comments sent (PRE14-052).
		Phase I			182,000 sf			4/19/14	5/2/14	H14-020	5/21/14	8/15/14	7/3/14							Grading and minor improvement plans will be ready to issue the week of 10/20/14. 8/15/14 Site Development Permit approval for 182,000 sf of industrial warehouse/office/manufacturing. 6/10/14 Grading & drainage plans submitted (3-04341).
		Phase II	237-05-036, 237-05-016, 237-05-039		562,600 sf			4/20/14	5/3/14	PRE14-141										9/29/14 Comprehensive Preliminary Review (PRE14-141) submitted to build 3 warehouse/office buildings and one parking structure.
	15 Trammell Crow	Nortech Pkwy between N. First St and Disk Dr	4	1	978,760 sf			1/25/13	2/22/13											10/9/14 staff attending school district board meeting with Santa Clara Unified School District. 4/21 meeting regarding traffic calming with Council District 4, school district representatives, Alviso representatives, and applicant. 2/13 submittal of Planned Development Zoning (PDC14-004), Planned Development Permit for manufacturing buildings (PD14-007), revised Planned Development Permit plans for office buildings (PD13-039), and CEQA Initial Study (PD13-039). 11/12/13 second community meeting held. 11/19 grading permit issued (#3-18698). 11/1 PD Permit plan resubmittal, CEQA Initial Study submittal pending. 10/30 PD Permit community meeting held; neighborhood concerns including warehouse use, noise, air quality. 9/16 Planned Development Permit filed to allow 415,000 square feet of office and 579,920 square feet of manufacturing, incomplete submittal (PD13-039). 8/6 PD Permit withdrawn, 6/14 PD Permit filed to allow stockpiling of soil for future grading (PD13-024). 2/22 Preliminary Review comments sent (PRE13-013). Council Member Chu will attend a meeting with the school board on 10/9/14 along with representatives from Planning & Public Works.
		R&D Offices			415,000 sf			1/25/13	2/22/13	PD13-039	9/17/13	y								6/11/14 Planning Commission hearing denied appeal of Planning Director's decision to approve the Planned Development Permit to allow 415,000 sf of R&D office (PD13-039). 5/20 permit appeal withdrawn, after appeal period ended. 5/5 permit appeal filed. 4/23 Planning Director's hearing approval.
	Manufacturing			563,760 sf			1/25/13	2/22/13	PD14-007	2/13/14	y								6/10/14 City Council approval of Planned Development Zoning and Planned Development Permit (PDC14-004, PD14-007). 5/14 Planning Commission hearing: Commission voted 5-0-2 (Commissioners Cahan and Yob absent) to forward the items to City Council without a recommendation and to provide a full report of comments discussed at the meeting.	
Commercial	16 Almaden Ranch	SE corner of Almaden Expwy and Chynoweth Ave	9	4	257,296 sf			y	y	PDC14-001 PD11-024	y	Zoning Adopted 4/22/14	y (site work) Target Q3 2014 (bldgs)					y	9/23/14 Planning Conformance (14-024095, 14-024309, & 14-024246) pending Permit Adjustment addressing landscape, site, and architectural changes. 8/18 Received Caltrans encroachment permit for off-ramp widening. 4/8 City Council first reading for Planned Development Rezoning filed increase height allowance from 50 feet to 80 feet for architectural projections, Ordinance No. 29397 passed for publication (PDC14-001), adopted 4/22/14. 11/15/13 parcel map recorded (#3-12196). 10/10 Improvement Plans issued (#3-12196). 9/27 grading permit issued (#3-12196). 4/2 demolition permit issued. 1/18 Building comments sent, scope of work is for site work only (PC#13-001703 and PC#13-001704).	
		Bass Pro Shop			145,000 sf			y	y	PD14-037	y	9/3/2014							10/17/14 Foundation only permit ready to issue. 9/5/14 Planning approval of Planned Development Permit to allow 152,644 sf of commercial retail and 3,000 sf of outdoor sales area (PD14-037). 8/26 second Building submittal. 6/26 Building plan review submittal (PC#14-022409).	
	17 Bay 101	NE corner of N First St and Matrix Blvd	3	2	97,000 sf card room, 470 hotel rooms		Target 2016	n/a	n/a	PDC13-017 PD13-049	6/14/13 (PD Zoning) 12/13/13 (PD Permit)								9/10/14 Planning Commission and 9/23/14 City Council. EIR circulating 5/27-6/11; target August 27 Planning Commission hearing and September City Council hearing to consider Planned Development Rezoning (PDC13-017). 3/11 Initial Study received; 3/5 Planned Development Rezoning plans resubmitted. 1/9 community meeting/EIR scoping meeting held. 12/13/13 Planned Development Permit filed, CEQA Initial Study submittal pending (PD13-049).	
	18 Earthquakes Stadium	SW corner of Newhall Dr and Coleman Ave	3	2	126,000 sf	\$50,000,000	target 11/2014	y	y	PD11-002	y	y	3/27/13	y	8/20/13 (fnd) 10/29/13 (office) 12/2/13 (full)	n/a	y	y	2/27/14 street improvement plans approved (#3-18493). 12/12/13 full building permit issued. 10/29/13 building permit issued for 2-story team office building. 10/30 FAA clearance. 8/20 foundation permit issued; FAA clearance required for building permit issuance (PC#13-101627). 8/20 revocable encroachment permit issued to allow potholing along westside of Coleman Avenue and north side of Newhall Drive to locate existing underground utilities at 26 locations (#3-18493). 8/19 pre-construction meeting. 6/27 grading and drainage permit issued (#3-18493).	
	19 Evergreen Arcadia	Southside of Quimby Rd, approx 1,200 feet west of Capitol Expwy	8	3				n/a	n/a	PDC10-022	y									11/19/14 Planning Commission & 12/19/14 City Council hearings. 9/29/14 Community Meeting held. June 2014 Airport Land Use Commission meeting to consider Planned Development Rezoning. 4/8 revised plans received, under review. 3/29 Planning's 30-day letter sent, need Initial Study with updated technical reports to EEH EIR, site plan, grading plan, stormwater control plan, landscape plan (PDC10-022 to allow 351,025 square feet of retail, 5,010 square feet of office, and 217 residential units). Community Meeting held 9/29/14.
	20 AC Hotel	SE corner of W Santa Clara St and Hwy 87 off-ramp	3	3	210 rooms	\$23,000,000		n/a	y	H13-013 HA13-013-01	3/20/13 (H Permit) 12/6/13 (HA Permit)	6/7/13	5/2/14			n/a				8/18/14 Building plan review pending easements, parking arrangement (PC#13-134291). 5/7/14 Planning Director's hearing for Site Development Permit Amendment to modify previously approved 197-room, 8-story hotel to 210 rooms, reduction to 7-stories (maintain building height), and architectural modifications (HA13-013-01). 5/2 Building plan check submittal meeting (PC13-134291). 2/25 Site Development Permit Amendment resubmitted. 1/6 applicant requests to suspend Planning and Building plan review for possible substantial revisions. 12/19/13 Building plan check submittal meeting. 12/6 Site Development Permit Amendment submittal to increase hotel rooms from 197 to 207, no changes to building envelope (HA13-013-01). 5/29 approval at Planning Director's hearing with Permit Adjustment requirement to modify architecture.
	21 Hyatt House & Hyatt Place	Southern terminus of Karina Ct, approx 690 ft west of N First St	4	2	329 rooms		Target June 2016	n/a	n/a	H14-006, AT14-015	1/22/14	5/9/14								5/7 Site Development Permit approved at Planning Director's hearing (H14-006). 4/4 Initial Study submitted. 4/16 Planning Director's hearing originally targeted, to be deferred to 5/7 hearing. 3/11 City Council adopts of conventional rezoning from Light Industrial Zoning District to Industrial Park Zoning District (C13-044). 2/21/14 first Site Development Permit comments sent (H14-006). 10/22/13 submittal of conventional rezoning.
22 IStar	West side of Great Oaks Blvd, approx 1,000 feet NW of Hwy 85	2	4	414,000 sf			n/a	n/a	GP12-001, PDC12-028, GP114-008, DA14-002	y									GP12-001, GP114-008, PDC12-028, & DA14-002 scheduled for 11/5/14 Planning Commission and 12/9/14 City Council. 10/7/14 Director initiated amendment to the 2040 General Plan to move the growth capacity allocation from four nearby Urban Villages to the project site for up to 780 dwelling units. Planning Commission 11/5 and City Council 12/9. EIR circulating 5/13-6/27. 4/3/13 community meeting and EIR public scoping meeting. 11/21/12 Submitted GP12-001 Amend from Combined Industrial/Commercial to Combined Industrial Commercial and Mixed Neighborhood.	
23 Kaiser Permanente Medical Offices	South of Skypart Dr, between Hwy 87 and Technology Dr	3	2	150,000 sf			11/13/12	11/16/13	PD13-014	4/12/13	6/28/13 (demo)					y			3/21/14 Preliminary Review comments sent. 2/5/14 Comprehensive Preliminary Review filed proposing a 4-story, 150,800 sf medical office building (PRE14-013). 8/5/13 demolition permit issued for 162,000 sf building (PC#13-115314). 8/5/13 Demolition finalized. 7/3 Planning Director's hearing for to allow demolition of one 161,000 square foot building and demolition of existing site improvements. 11/16/12 preliminary review completed for proposal to demolish existing buildings and construct 5-story, 150,000 sf medical office building (PRE12-125).	


North San José Development Projects: North Area



 Industrial
1 inch = 1,100 feet

Sources: Esri, DeLorme, NAVTEQ, USGS, Intermap, IPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2012

North San José Development Projects: South Area



	Industrial
	Commercial
	High_Rise


1 inch = 2,050 feet

Sources: Esri, DeLorme, NAV
Japan, METI, Esri China (Hon


Central San José Development Projects



East San José Development Projects




West San José Development Projects



Commercial
1 inch = 1,500 feet

Sources: Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2012

South San José Development Projects



Industrial
 Commercial
1 inch = 3,100 feet

Sources: Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, 2012