

Appendix D3  
**Arborist Report**



# ARBORIST REPORT

March 25th, 2020  
r2 5719.00

**PROJECT**  
Downtown West  
San Jose, CA

**PREPARED FOR**  
Downtown West

**PREPARED BY**  
HMH  
1570 Oakland Road  
San Jose, CA 95131  
William Sowa  
ISA Certified Arborist #WE-12270A



## TABLE OF CONTENTS

	<u>Page</u>
Table of Contents	1
Introduction and Overview	2
Methodology	2
Summary of Findings	2
General Observations and Recommendations	3
Recommendations for Tree Protection During Construction	8
Maintenance Recommendations for Trees to Remain	9
Terms and Conditions	11
Exhibit A – Existing Tree Map	12
Table 1 - Tree Quantity Summary	23
Table 2 - Tree Evaluation Summary	24
Tree Photographs	51

## INTRODUCTION AND OVERVIEW

HMH was contracted to complete a survey, assessment and arborist report for trees located within the limit of work illustrated on Exhibits A - K. The project site encompasses a large redevelopment area near the Diridon Station and SAP Center in San Jose. Many of the parcels slated for redevelopment are older commercial, office or light industrial sites structures and surface paving. There are several parking lots serving the station and SAP center that are planted with tree wells. The remainder of the site area is the street network and light rail transportation system throughout the area. There are few residential units through the area although many of them have been converted to business. Our scope of services includes locating, measuring DBH, assessing, and photographing the condition of all trees within the limit of work. Disposition and health recommendations are based on current site conditions. Site development/design may affect the preservation suitability.

## METHODOLOGY

Our tree survey work is a deliberate and systematic methodology for cataloging trees on site:

1. Identify each tree species.
2. Note each tree's location on a site map.
3. Measure each trunk circumference at 4.5' above grade per ISA standards.
4. Evaluate the health and structure of each tree using the following numerical standard:
  - 5 - A healthy, vigorous tree, reasonably free of disease, with good structure and form typical of the species.*
  - 4 - A tree with slight decline in vigor, small amount of twig dieback, minor structural defects that could be corrected.*
  - 3 - A tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that may that might be mitigated with care.*
  - 2 - A tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.*
  - 1 - A tree in severe decline, dieback of scaffold branches and or trunk, mostly epicormic growth; extensive structural defects that cannot be abated.*
  - 0 - Tree is dead.*

## SUMMARY OF FINDINGS

HMH conducted a tree inventory of 537 trees located within the limit of work outlined in Exhibit A-K. 254 of the trees inventoried are classified as Ordinance Trees under the City of San Jose regulations. An ordinance-size tree is: Single Trunk - 38 inches or more in circumference at 4 ½ feet above ground; or Multi-trunk - The combined measurements of each trunk circumference (at 4 ½ feet above ground) add up to 38 inches or more.

Table 1 - Tree Quantity Summary summarizes tree quantities by both species and size. Each species that was inventoried as part of this scope is included. This is a useful tool for analyzing the mixture of trees as part of the project. The size table is useful when calculating mitigation requirements in the case of tree removal as well as aiding in determining tree maturity. The site has several species planted, some near each other. There were many volunteer shrubby plants that have taken over some of the areas and should be removed. The site is predominantly made up of Fraxinus, Sequoia and Prunus trees.

Table 2 - Tree Evaluation Summary lists each tree number, botanical name, common name, DBH, circumference, ordinance trees, health rating, preservation suitability, general notes and observations and recommendations.

See Exhibit A for Tree Location Map

See Table 1 for Tree Quantity Summary by species and size.

See Table 2 for Tree Evaluation Summary for sizes, notes and recommendations regarding each tree.

## **GENERAL OBSERVATIONS AND RECOMMENDATIONS**

**Species:** *Acer rubrum* (Maple Tree)

**Quantity:** 1

**Observations / Recommendations:**

One off specimen of no distinguishable features. Moderate shape.

**Species:** *Ailanthus altissima* (Tree of Heaven)

**Quantity:** 11

**Observations / Recommendations:**

Most likely volunteer trees that are considered invasive. These trees should be removed

**Species:** *Albizia julibrissin* (Silk Tree)

**Quantity:** 19

**Observations / Recommendations:**

Mostly planted as street trees. These are in good shape and could be retained in place if possible.

**Species:** *Arbutus 'Marina'* (Strawberry Tree)

**Quantity:** 3

**Observations / Recommendations:**

These appear to be newer trees planted as street trees to fill in gaps. With proper care they should mature nicely for this area.

**Species:** *Betula nigra* (River Birch)

**Quantity:** 21

**Observations / Recommendations:**

Newer planted trees in the old Orchard Supply Hardware site. Limited space, potential lack of water and maintenance has left these trees in moderate to poor shape.

**Species:** *Cedrus deodara*

**Quantity:** 1

**Observations / Recommendations:**

A large single specimen in moderate shape. There is some exposed heart wood that could introduce pathogens into the tree. The canopy is crowded by an adjacent sycamore tree. Removal would be recommended as it is also very close to a structure.

**Species:** *Ceratonia siliqua* (Carob Tree)

**Quantity:** 4

**Observations / Recommendations:**

Large mature specimens used as a street tree. These trees are in moderate to poor shape and are planted in very small areas. If removed a more space appropriate tree should be considered or larger tree wells established for this species of tree.

**Species:** *Cinnamomum camphora* (Camphor Tree)

**Quantity:** 7

**Observations / Recommendations:**

The Camphor trees are in moderate shape. They exhibit some crown die back but these trees have a nature of a free forming branches and trunk structure. One (467) potentially has been headed back or pruned excessively. These trees can remain if the development allows.

**Species:** *Eucalyptus globulus* (Eucalyptus)

**Quantity:** 7

**Observations / Recommendations:**

The Eucalyptus trees are in moderate to poor shape and have very little value where they currently exist. These tree can be removed.

**Species:** *Fraxinus uhdei* (Ash Tree)

**Quantity:** 47

**Observations / Recommendations:**

The Ash trees are large mature specimens that have developed in full grown trees. Many are located along the street frontage or function as a street tree thus have little planting area. Surface roots have developed over time and there are visible crack and lifted section of pavement. The canopy structure of these trees is moderate to poor due to lack of proper pruning practices. There are many co-dominant and crossing branches. Structural pruning would benefit the interior structure of the tree.

**Species:** *Juglans nigra* (Black Walnut)

**Quantity:** 3

**Observations / Recommendations:**

Large mature specimens used as a street tree. These trees are in moderate to poor shape and are planted in very small areas. If removed a more space appropriate tree should be considered or larger tree wells established for this species of tree.

**Species:** *Lagerstroemia indica* (Crepe Myrtle Tree)

**Quantity:** 27

**Observations / Recommendations:**

The Crepe Myrtle trees are in moderate to good shape. A nice summer flowering tree developing a canopy structure to show case is favorable. These trees can remain if development around them allow for retention.

**Species:** *Liquidamber styraciflua* (Liquid Amber Tree)

**Quantity:** 12

**Observations / Recommendations:**

The Liquid Amber trees are in moderate shape. These trees create a large seed pod that when populating the ground can cause a nuisance. They are water loving trees and often develop

surface roots that can also be problem. They have been extensively pruned and have poor canopy structure. These trees can be removed.

**Species:** *Magnolia grandiflora* / × *soulangeana* (*Magnolia Tree*)

**Quantity:** 5

**Observations / Recommendations:**

Magnolia trees are in moderate shape and vigor. Two of them have crown die back and exhibit signs of stress. This may be due to lack of a steady irrigation supply as they are in a construction area.

**Species:** *Morus alba* (*White Mulberry*)

**Quantity:** 1

**Observations / Recommendations:**

One off specimen of no distinguishable features in the rear of old residence. This is currently in conflict with the adjacent parking lot fence. Moderate shape.

**Species:** *Persea Americana* (*Avocado Tree*)

**Quantity:** 1

**Observations / Recommendations:**

One off specimen of no distinguishable features. Moderate shape.

**Species:** *Phoenix canariensis* (*Canary Island Pine*)

**Quantity:** 1

**Observations / Recommendations:**

One off specimen of no distinguishable features probably a volunteer that has allowed to mature over time as it was not bothering anything. Does not fit the space it is planted in. Moderate shape.

**Species:** *Pinus canariensis* (*Pine Tree*)

**Quantity:** 2

**Observations / Recommendations:**

Large mature specimens in poor health and structure. Removal is recommended.

**Species:** *Pistacia chinensis* (*Chinese Pistache*)

**Quantity:** 11

**Observations / Recommendations:**

The Chinese Pistache trees are in moderate to poor shape. They have been pruned excessively in some cases and have poor crown structure. If space concerns are an issue for these trees they should be removed.

**Species:** *Platanus x hispanica*

**Quantity:** 167

**Observations / Recommendations:**

This is the largest number of trees in the count. They make up most of the parking lot trees on the surface lots. The limited plating area has stunted the growth of many of them. They are stressed, leaning and have crown die back and poor structure. One off specimen of no distinguishable features. Most are in poor to moderate shape. The trees along the perimeter have fared better but show similar signs of decline and stress. Many of these trees can be removed.

**Species:** *Populus fremontii* (*Fremont's cottonwood*)

**Quantity: 2**

**Observations / Recommendations:**

Large older trees in poor shape and in decline. Removal is recommended.

**Species:** *Prunus cerasifera* (Flowering Plum)

**Quantity: 6**

**Observations / Recommendations:**

Flowering Plum trees of moderate shape and vigor. Poor pruning has resulted in poor canopy development.

**Species:** *Pyrus calleryana* (Flowering Pear Tree)

**Quantity: 1**

**Observations / Recommendations:**

One off specimen of no distinguishable features. Moderate shape.

**Species:** *Pyrus kawakamii* (Evergreen Pear Tree)

**Quantity: 1**

**Observations / Recommendations:**

5 trees planted along the retaining wall on Park Avenue and espaliered. Poor shape.

**Species:** *Quercus agrifolia* (Coast Live Oak)

**Quantity: 1**

**Observations / Recommendations:**

One large specimen behind an office building. The tree appears to be in good shape and should be retained.

**Species:** *Quercus ilex* (Holly Oak)

**Quantity: 3**

**Observations / Recommendations:**

Group of three trees planted on the corner of West San Carlos Street and Royal Avenue. Shaped into compact rounded forms.

**Species:** *Quercus palustris* (Pin Oak)

**Quantity: 25**

**Observations / Recommendations:**

Newer planted trees in the old Orchard Supply Hardware site. Limited space, potential lack of water and maintenance has left these trees in moderate to poor shape.

**Species:** *Robinia x ambigua*' (Locust Tree)

**Quantity: 18**

**Observations / Recommendations:**

Parking lot trees in good to moderate shape. Small planting areas have resulted in stunted growth.

**Species:** *Schinus molle* (Pepper Tree)

**Quantity: 23**

**Observations / Recommendations:**

Most of the pepper trees are large specimens that are in poor shape. They have been pruned back over time and have poor structure.

**Species:** *Sequoia sempervirens* (Redwood Tree)

**Quantity: 2**

**Observations / Recommendations:**

The redwoods are in poor to moderate shape and have signs of stress crown die back and browning. Many redwood trees have suffered decline due to the drought. As these are water loving trees and will continue to struggle they should be considered for removal.

**Species:** *Syagrus romanzoffiana* (Queen Palms)

**Quantity: 3**

**Observations / Recommendations:**

The queen palms are in front of a restaurant and are in good shape.

**Species:** *Tristaniaopsis laurina* (Watergum Tree)

**Quantity: 1**

**Observations / Recommendations:**

One off specimen of no distinguishable features. Moderate shape.

**Species:** *Ulmus parvifolia* (Elm Tree)

**Quantity: 12**

**Observations / Recommendations:**

Large mature trees with canopy structures typical of this species. Moderate shape.

**Species:** *Washingtonia robusta*

**Quantity: 50**

**Observations / Recommendations:**

Large mature trees that make up the accent trees along light rail line. Good shape. Retention is recommended.

**Species:** *Xylosma congesta* (*Xylosma*)

**Quantity: 9**

**Observations / Recommendations:**

Large shrubs pruned into tree shape. These shrubs / trees are in moderate shape. Fast growing and have little value in their current location. These can be removed.

## RECOMMENDATIONS FOR TREE PROTECTION DURING CONSTRUCTION

**Site preparation:** All existing trees shall be fenced off 10' beyond the outside the drip line (foliar spread) of the tree. Alternatively, where this is not feasible, fence to the drip line of the tree. Where fencing is not possible, the trunk shall be protected straw waddle and orange snow fencing. The fence should be a minimum of six feet high, made of pig wire with steel stakes or any material superior in quality, such as cyclone fencing. Tree protection zone sign shall be affixed to fencing at appropriate intervals as determined by the arborist on site. If the fence is within the drip line of the trees, the foliar fringe shall be raised to offset the chance of limb breakage from construction equipment encroaching within the drip line. All contractors, subcontractors and other personnel shall be warned that encroachment within the fenced area is forbidden without the consent of the certified arborist on the job. This includes, but is not limited to, storage of lumber and other materials, disposal of paints, solvents or other noxious materials, parked cars, grading equipment or other heavy equipment. Penalties, based on the cost of remedial repairs and the evaluation guide published by the international society of arboriculture, shall be assessed for damages to the trees. See tree preservation detail for additional information, including tree protection zone sign.

**Grading/excavating:** All grading plans that specify grading within the drip line of any tree, or within the distance from the trunk as outlined in the site preparation section above when said distance is outside the drip line, shall first be reviewed by a certified arborist. Provisions for aeration, drainage, pruning, tunneling beneath roots, root pruning or other necessary actions to protect the trees shall be outlined by an arborist. If trenching is necessary within the area as described above, said trenching shall be undertaken by hand labor and dug directly beneath the trunk of the tree. All roots 2 inches or larger shall be tunneled under and other roots shall be cut smoothly to the trunk side of the trench. The trunk side should be draped immediately with two layers of untreated burlap to a depth of 3 feet from the surface. The burlap shall be soaked nightly and left in place until the trench is back filled to the original level. An arborist shall examine the trench prior to back filling to ascertain the number and size of roots cut, so as to suggest the necessary remedial repairs.

**Remedial repairs:** An arborist shall have the responsibility of observing all ongoing activities that may affect the trees, and prescribing necessary remedial work to ensure the health and stability of the trees. This includes, but is not limited to, all arborist activities brought out in the previous sections. In addition, pruning, as outlined in the "pruning standards" of the western chapter of the International Society of Arboriculture, shall be prescribed as necessary. Fertilizing, aeration, irrigation, pest control and other activities shall be prescribed according to the tree needs, local site requirements, and state agricultural pest control laws. All specifications shall be in writing. For pest control operations, consult the local county agricultural commissioner's office for individuals licensed as pest control advisors or pest control operators.

**Final inspection:** Upon completion of the project, the arborist shall review all work undertaken that may impact the existing trees. Special attention shall be given to cuts and fills, compacting, drainage, pruning and future remedial work. An arborist should submit a final report in writing outlining the ongoing remedial care following the final inspection.

## MAINTENANCE RECOMMENDATIONS FOR TREES TO REMAIN

Regular maintenance, designed to promote plant health and vigor, ensures longevity of existing trees. Regular inspections and the necessary follow-up care of mulching, fertilizing, and pruning, can detect problems and correct them before they become damaging or fatal.

**Tree Inspection:** Regular inspections of mature trees at least once a year can prevent or reduce the severity of future disease, insect, and environmental problems. During tree inspection, four characteristics of tree vigor should be examined: new leaves or buds, leaf size, twig growth, and absence of crown dieback (gradual death of the upper part of the tree). A reduction in the extension of shoots (new growing parts), such as buds or new leaves, is a fairly reliable cue that the tree's health has recently changed. Growth of the shoots over the past three years may be compared to determine whether there is a reduction in the tree's typical growth pattern. Further signs of poor tree health are trunk decay, crown dieback, or both. These symptoms often indicate problems that began several years before. Loose bark or deformed growths, such as trunk conks (mushrooms), are common signs of stem decay. Any abnormalities found during these inspections, including insect activity and spotted, deformed, discolored, or dead leaves and twigs, should be noted and observed closely.

**Mulching:** Mulch, or decomposed organic material, placed over the root zone of a tree reduces environmental stress by providing a root environment that is cooler and contains more moisture than the surrounding soil. Mulch can also prevent mechanical damage by keeping machines such as lawn mowers and string trimmers away from the tree's base. Furthermore, mulch reduces competition from surrounding weeds and turf. To be most effective, mulch should be placed 2 to 4 inches deep and cover the entire root system, which may be as far as 2 or 3 times the diameter of the branch spread of the tree. If the area and activities happening around the tree do not permit the entire area to be mulched, it is recommended that as much of the area under the drip line of the tree is mulched as possible. When placing mulch, care should be taken not to cover the actual trunk of the tree. This mulch-free area, 1 to 2 inches wide at the base, is sufficient to avoid moist bark conditions and prevent trunk decay. An organic mulch layer 2 to 4 inches deep of loosely packed shredded leaves, pine straw, peat moss, or composted wood chips is adequate. Plastic should not be used as it interferes with the exchange of gases between soil and air, which inhibits root growth. Thicker mulch layers, 5 to 6 inches deep or greater, may also inhibit gas exchange.

**Fertilization:** Trees require certain nutrients (essential elements) to function and grow. Urban landscape trees may be growing in soils that do not contain sufficient available nutrients for satisfactory growth and development. In certain situations, it may be necessary to fertilize to improve plant vigor. Fertilizing a tree can improve growth; however, if fertilizer is not applied wisely, it may not benefit the tree at all and may even adversely affect the tree. Mature trees making satisfactory growth may not require fertilization. When considering supplemental fertilizer, it is important to consider nutrients deficiencies and how and when to amend the deficiencies. Soil conditions, especially pH and organic matter content, vary greatly, making the proper selection and use of fertilizer a somewhat complex process. To that end, it is recommended that the soil be tested for nutrient content. A soil testing laboratory can give advice on application rates, timing, and the best blend of fertilizer for each tree and other landscape plants on site. Mature trees have expansive root systems that extend from 2 to 3 times the size of the leaf canopy. A major portion of actively growing roots is located outside the tree's drip line. Understanding the actual size and extent of a tree's root system before applying fertilizer is paramount to determine quantity, type and rate at which to best apply fertilizer. Always follow manufacturer recommendations for use and application.

**Pruning:** Pruning is often desirable or necessary to remove dead, diseased, or insect-infested branches and to improve tree structure, enhance vigor, or maintain safety. Because each cut has the potential to change the growth of (or cause damage to) a tree, no branch should be removed without reason. Removing foliage from a tree has two distinct effects on growth: (1) it reduces photosynthesis and, (2) it may reduce overall growth. Pruning should always be performed sparingly. Caution must be taken not to over-prune as a tree may not be able to gather and process enough sunlight to survive. Pruning mature trees may require special equipment, training, and experience. Arborists are equipped to provide a variety of services to assist in performing the job safely and reducing risk of personal injury and property damage (*See also Addendum A - ANSI A300 Part 1 Pruning Standards*).


**Removal:** There are circumstances when removal is necessary. An arborist can help decide whether or not a tree should be removed. Professionally trained arborists have the skills and equipment to safely and efficiently remove trees. Removal is recommended when a tree: (1) is dead, dying, or considered irreparably hazardous; (2) is causing an obstruction or is crowding and causing harm to other trees and the situation is impossible to correct through pruning; (3) is to be replaced by a more suitable specimen, and; (4) should be removed to allow for construction. Pruning or removing trees, especially large trees, can be dangerous work. It should be performed only by those trained and equipped to work safely in trees.

## TERMS AND CONDITIONS

The following terms and conditions apply to all oral and written reports and correspondence pertaining to consultations, inspections and activities of HMM.

1. The scope of any report or other correspondence is limited to the trees and conditions specifically mentioned in those reports and correspondence. HMM assumes no liability for the failure of trees or parts of trees, either inspected or otherwise. HMM assumes no responsibility to report on the condition of any tree or landscape feature not specifically requested by the named client.
2. No tree described in this report was climbed, unless otherwise stated. HMM does not take responsibility for any defects, which could have only been discovered by climbing. A full root collar inspection, consisting of excavating the soil around the tree to uncover the root collar and major buttress roots was not performed unless otherwise stated. HMM does not take responsibility for any root defects, which could only have been discovered by such an inspection.
3. HMM shall not be required to provide further documentation, give testimony, be deposed, or attend court by reason of this appraisal or report unless subsequent contractual arrangements are made, including payment of additional fees for such services as described by HMM or in the schedule of fees or contract.
4. HMM guarantees no warranty, either expressed or implied, as to the suitability of the information contained in the reports for any reason. It is the responsibility of the client to determine applicability to his/her case.
5. Any report and the values, observations and recommendations expressed therein represent the professional opinion of HMM, and the fee for services is in no manner contingent upon the reporting of a specified value nor upon any particular finding to be reported.
6. Any photographs, diagrams, graphs, sketches or other graphic material included in any report, being intended solely as visual aids, are not necessarily to scale and should not be construed as engineering reports or surveys, unless otherwise noted in the report. Any reproductions of graphic material or the work produced by other persons, is intended solely for clarification and ease of reference. Inclusion of said information does not constitute a representation by HMM as to the sufficiency or accuracy of that information.
7. Trees can be managed, but they cannot be controlled. To live near trees is to accept some degree of risk. The only way to eliminate all risk associated with trees is to eliminate all trees.

 Existing Tree Map  
Exhibit A



SEE EXHIBIT B

**Existing Tree Map  
Exhibit B**



SEE EXHIBIT A

WEST SAN CARLOS STREET



SOUTH MONTGOMERY STREET

PARK AVENUE


SEE EXHIBIT C

SEE EXHIBIT B



SEE EXHIBIT D


**(N)** Existing Tree Map  
Exhibit D




SEE EXHIBIT C

SEE EXHIBIT E

SEE EXHIBIT I




SEE EXHIBIT D



SEE EXHIBIT J

SEE EXHIBIT E


SEE EXHIBIT I



SEE EXHIBIT K

SEE EXHIBIT J

Existing Tree Map  
Exhibit K





SEE EXHIBIT E

SEE EXHIBIT G

WEST SANTA CLARA

CAHILL STREET

S. MONTGOMERY STREET

- 300
- 305
- 306
- 311
- 313
- 321
- 320
- 312
- 319
- 322
- 295
- 301
- 304
- 310
- 314
- 316
- 323
- 294
- 307
- 324
- 293
- 302
- 303
- 308
- 309
- 315
- 317
- 325
- 291
- 318
- 326
- 340
- 337
- 335
- 333
- 331
- 327
- 328
- 339
- 338
- 336
- 334
- 332
- 330
- 329


- 467
- 468
- 469
- 470
- 471
- 466
- 465
- 464
- 463
- 462
- 472
- 473
- 474
- 475
- 476
- 477



SEE EXHIBIT F

SEE EXHIBIT H

SEE EXHIBIT G



**TABLE 1 - TREE QUANTITY SUMMARY**

Tree Quantity by Species			Type of Tree		
Species	Quantity	% of Site	Native	Non-Native	Orchard
Acer rubrum	1	0%	no	yes	no
Arbutus 'marina'	3	1%	no	yes	no
Ailanthis altissima	11	2%	no	yes	no
Albizia julibrissin	19	4%	no	yes	no
Betula nigra	29	5%	no	yes	no
Carpinus betulus	8	1%	no	yes	no
Cedrus deodara	1	0%	no	yes	no
Ceratonia siliqua	4	1%	no	yes	no
Cinnamomum camphora	7	1%	no	yes	no
Cercis canadensis	1	0%	no	yes	no
Eucalyptus globulus	7	1%	no	yes	no
Fraxinus uhdei	47	9%	no	yes	no
Lagerstroemia indica	27	5%	no	yes	no
Liquidambar styraciflua	12	2%	no	yes	no
Jacaranda mimosifolia	6	1%	no	yes	no
Juglans californica	3	1%	yes	no	no
Magnolia grandiflora	5	1%	no	yes	no
Morus alba	1	0%	no	yes	no
Olea europaea	1	0%	no	yes	no
Phoenix canariensis	1	0%	no	yes	no
Pinus canariensis	2	0%	no	yes	no
Pistacia chinensis	11	2%	no	yes	no
Platanus x hispanica	167	31%	no	yes	no
Persea americana	1	0%	no	yes	no
Populus fremontii	2	0%	yes	no	no
Prunus cerasifera	6	1%	no	yes	no
Pyracantha sp.	1	0%	no	yes	no
Pyrus kawakamii	5	1%	no	yes	no
Pyrus calleryana	1	0%	no	yes	no
Quercus agrifolia	1	0%	yes	no	no
Quercus Ilex	3	1%	no	yes	no
Quercus palustris	25	5%	no	yes	no
Robinia x ambigua	18	3%	no	yes	no
Schinus molle	23	4%	no	yes	no
Sequoia sempervirens	2	0%	yes	no	no
Syagrus romanzoffiana	3	1%	no	yes	no
Tristaniopsis laurina	1	0%	no	yes	no
Ulmus parvifolia	12	2%	no	yes	no
Washingtonia robusta	50	9%	no	yes	no
Xylosma congesta	9	2%	no	yes	no
<b>Total Trees</b>	<b>537</b>	<b>100%</b>	<b>8</b>	<b>529</b>	<b>0</b>

# TABLE 2 - TREE EVALUATION SUMMARY

Prepared By: William Sowa ISA Certified Arborist WE-12270A

**DBH MEASUREMENT HEIGHT: 54"**

Date of Evaluation: 1/12/2020

Suitability for Preservation is based on the following		
Good - Trees with good health and structural stability that have the potential for longevity at the site.		
Moderate - Trees in somewhat declining health and/or exhibits structural defects that cannot be abated with treatment. Trees will require more intense management and will have a shorter lifespan than those in the 'Good' category.		
Poor - Trees in poor health or with significant structural defects that cannot be mitigated. Tree is expected to decline, regardless of treatment.		
Health Rating		
<b>5</b>	A healthy, vigorous tree, reasonably free of disease, with good structure and form typical of the species.	
<b>4</b>	A tree with slight decline in vigor, small amount of twig dieback, minor structural defects that could be corrected.	
<b>3</b>	A tree with moderate vigor, moderate twig and small branch dieback, thinning of crown, poor leaf color, moderate structural defects that may that might be mitigated with care.	
<b>2</b>	A tree in decline, epicormic growth, extensive dieback of medium to large branches, significant structural defects that cannot be abated.	
<b>1</b>	A tree in severe decline, dieback of scaffold branches and or trunk, mostly epicormic growth; extensive structural defects that cannot be abated.	
<b>0</b>	Tree is dead.	
Abbreviations and Definitions		
CD	<i>Codominant branches</i>	Forked branches nearly the same size in diameter, arising from a common junction an lacking a normal branch union.
CDB	<i>Dieback in Crown</i>	Condition where branches in the tree crown die from the tips toward the center.
CR	<i>Crowded</i>	Tree is bounded closely by one or more of the following: structure, tree, Etc.
D	<i>Decline</i>	Tree shows obvious signs of decline, which may be indicative of the presence of multiple biotic and abiotic disorders.
DBH	<i>Diameter at Breast Height</i>	Measurement of tree diameter in inches. Measurement height varies by City and is noted above.
EG	<i>Epicormic Growth</i>	Watersprouting on trunk and main leaders. Typically indicative of tree stress.
EH	<i>Exposed Heartwood</i>	Exposure of the tree's heartwood is typically seen as an open wound that leaves a tree more susceptible to pathogens, disease or infection.
H	<i>Hazardous</i>	A tree that in it's current condition, presents a hazard.
HD	<i>Headed</i>	Poor pruning practice of cutting back branches. Often practiced under utility lines to limit tree height.
IB	<i>Included Bark</i>	Structural defect where bark is included between the branch attachment so the wood can't join. Such defect can have a higher probability of failure.
LC	<i>Low crotch</i>	Multiple central leaders originating below the DBH measurement site.
LN	<i>Leaning Tree</i>	Tree leaning, see notes for severity.
ML	<i>Multiple Leaders</i>	More than one upright primary stem
PT	<i>Phototropism</i>	Tree exhibits phototropic growth habits. Reduced trunk taper, misshapen trunk and canopy growth are examples of this growth habit.
S	<i>Suckers</i>	Shoot arising from the roots.
SD	<i>Structural Defects</i>	Naturally or secondary conditions including cavities, poor branch attachments, cracks, or decayed wood in any part of the tree that may contribute to structural failure.
SE	<i>Severe</i>	Indicates the severity of the following term.
SL	<i>Slight</i>	Indicates the mildness of the following term.
SR	<i>Surface Roots</i>	Roots visible at finished grade.
ST	<i>Stress</i>	Environmental factor inhibiting regular tree growth. Includes drought, salty soils, nitrogen and other nutrient deficiencies in the soil.
WU	<i>Weak Union</i>	Weak union or fork in tree branching structure.
	<i>Ordinance Tree</i>	Single Trunk - 38 inches or more in circumference at 4 ½ feet above ground; or Multi-trunk - The combined measurements of each trunk circumference (at 4 ½ feet above ground) add up to 38 inches or more

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
1	<i>Carpinus betulus</i>	European Hornbeam	8.0	25		3	Moderate	
2	<i>Carpinus betulus</i>	European Hornbeam	9.0	28		3	Moderate	
3	<i>Betula nigra</i>	River Birch	6.0	19		3	Moderate	
4	<i>Betula nigra</i>	River Birch	7.0	22		3	Moderate	
5	<i>Betula nigra</i>	River Birch	5.0	16		3	Moderate	SD, pruning damage
6	<i>Betula nigra</i>	River Birch	6.0	19		2	Moderate	
7	<i>Betula nigra</i>	River Birch	6.0	19		3	Moderate	
8	<i>Betula nigra</i>	River Birch	4.0	13		3	Moderate	
9	<i>Betula nigra</i>	River Birch	4.0	13		3	Moderate	
10	<i>Betula nigra</i>	River Birch	9.0	28		3	Moderate	ML
11	<i>Carpinus betulus</i>	European Hornbeam	5.0	16		3	Moderate	
12	<i>Carpinus betulus</i>	European Hornbeam	8.0	25		3	Moderate	
13	<i>Carpinus betulus</i>	European Hornbeam	9.0	28		3	Moderate	
14	<i>Carpinus betulus</i>	European Hornbeam	10.0	31		2	Poor	LC,WU
15	<i>Carpinus betulus</i>	European Hornbeam	7.0	22		3	Moderate	
16	<i>Carpinus betulus</i>	European Hornbeam	8.0	25		3	Moderate	
17	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	2	Poor	LN,SD,CD,MD
18	<i>Quercus ilex</i>	Holly Oak	14.0	44	YES	3	Moderate	
19	<i>Quercus ilex</i>	Holly Oak	16.0	50	YES	3	Moderate	
20	<i>Quercus ilex</i>	Holly Oak	13.0	41	YES	3	Moderate	
21	<i>Fraxinus uhdei</i>	Ash tree	27.0	85	YES	4	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
22	<i>Liquidambar styraciflua</i>	American Sweetgum	15.0	47	YES	3	Moderate	
23	<i>Liquidambar styraciflua</i>	American Sweetgum	15.0	47	YES	3	Moderate	
24	<i>Liquidambar styraciflua</i>	American Sweetgum	14.0	44	YES	3	Moderate	
25	<i>Liquidambar styraciflua</i>	American Sweetgum	11.0	35		3	Moderate	
26	<i>Liquidambar styraciflua</i>	American Sweetgum	5.0	16		3	Poor	
27	<i>Liquidambar styraciflua</i>	American Sweetgum	17.0	53	YES	3	Moderate	
28	<i>Liquidambar styraciflua</i>	American Sweetgum	13.0	41	YES	3	Moderate	
29	<i>Liquidambar styraciflua</i>	American Sweetgum	16.0	50	YES	3	Moderate	
30	<i>Ceratonia siliqua</i>	Carob Tree	33.0	104	YES	4	Moderate	Pruning Scars
31	<i>Juglans californica</i>	Black Walnut	11.0	35		3	Moderate	
32	<i>Ulmus parvifolia</i>	Chinese Elm	15.0	47	YES	3	Moderate	CD
33	<i>Ulmus parvifolia</i>	Chinese Elm	5.0	16		2	Poor	
34	<i>Ulmus parvifolia</i>	Chinese Elm	5.0	16		2	Poor	
35	<i>Lagerstroemia indica</i>	Crepe Myrtle	17.0	53	YES	3	Moderate	
36	<i>Lagerstroemia indica</i>	Crepe Myrtle	7.0	22		3	Moderate	
37	<i>Lagerstroemia indica</i>	Crepe Myrtle	14.0	44	YES	3	Moderate	
38	<i>Lagerstroemia indica</i>	Crepe Myrtle	9.0	28		3	Moderate	
39	<i>Lagerstroemia indica</i>	Crepe Myrtle	6.0	19		3	Moderate	
40	<i>Juglans californica</i>	Black Walnut	17.0	53	YES	3	Moderate	
41	<i>Lagerstroemia indica</i>	Crepe Myrtle	13.0	41	YES	3	Moderate	
42	<i>Liquidambar styraciflua</i>	American Sweetgum	9.0	28		3	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
43	<i>Juglans californica</i>	Black Walnut	13.0	41	YES	3	Moderate	
44	<i>Ulmus parvifolia</i>	Chinese Elm	21.0	66	YES	4	Moderate	
45	<i>Ulmus parvifolia</i>	Chinese Elm	22.0	69	YES	4	Moderate	LN
46	<i>Ulmus parvifolia</i>	Chinese Elm	17.0	53	YES	4	Moderate	
47	<i>Ulmus parvifolia</i>	Chinese Elm	21.0	66	YES	4	Moderate	
48	<i>Ulmus parvifolia</i>	Chinese Elm	16.0	50	YES	4	Moderate	
49	<i>Eucalyptus globulus</i>	Gum Tree	26.0	82	YES	4	Moderate	
50	<i>Eucalyptus globulus</i>	Gum Tree	37.0	116	YES	4	Moderate	
51	<i>Eucalyptus globulus</i>	Gum Tree	42.0	132	YES	5	Moderate	
52	<i>Xylosma congestum</i>	Shiny Xylosma	13.0	41	YES	3	Moderate	
53	<i>Xylosma congestum</i>	Shiny Xylosma	22.0	69	YES	3	Moderate	
54	<i>Xylosma congestum</i>	Shiny Xylosma	20.0	63	YES	3	Moderate	
55	<i>Xylosma congestum</i>	Shiny Xylosma	20.0	63	YES	3	Moderate	
56	<i>Xylosma congestum</i>	Shiny Xylosma	10.0	31		3	Moderate	
57	<i>Pinus canariensis</i>	Canary Island Pine	15.0	47	YES	3	Moderate	ML, Suckers, Volunteer
58	<i>Xylosma congestum</i>	Shiny Xylosma	20.0	63	YES	1	Poor	SD
59	<i>Ailanthis altissima</i>	Tree of Heaven	6.0	19		1	Poor	Crowded w/ fence, ML
60	<i>Ailanthis altissima</i>	Tree of Heaven	7.0	22		1	Poor	Crowded w/ fence, ML
61	<i>Ailanthis altissima</i>	Tree of Heaven	20.0	63	YES	1	Poor	Crowded w/ fence, ML
62	<i>Ailanthis altissima</i>	Tree of Heaven	15.0	47	YES	1	Poor	Crowded w/ fence, ML
63	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	11.0	35		3	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
64	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	7.0	22		3	Moderate	
65	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	8.0	25		3	Moderate	
66	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	8.0	25		3	Moderate	
67	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	8.0	25		3	Moderate	
68	<i>Jacaranda Mimosifolia</i>	Blue Jacaranda	9.0	28		3	Moderate	
69	<i>Ceratonia siliqua</i>	Carob Tree	38.0	119	YES	4	Moderate	
70	<i>Tristaniopsis laurina</i>	Watergum Tree	11.0	35		3	Poor	LN
71	<i>Platanus X Hispanica</i>	London Planetree	14.0	44	YES	3	Moderate	
72	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
73	<i>Pinus Canariensis</i>	Canary Island Pine	12.0	38	YES	2	Poor	
74	<i>Eucalyptus globulus</i>	Southern Blue Gum	18.0	57	YES	2	Poor	
75	<i>Eucalyptus globulus</i>	Southern Blue Gum	18.0	57	YES	2	Poor	
76	<i>Eucalyptus globulus</i>	Southern Blue Gum	17.0	53	YES	2	Poor	
77	<i>Eucalyptus globulus</i>	Southern Blue Gum	16.0	50	YES	2	Poor	
78	<i>Ailanthis altissima</i>	Tree of Heaven	15.0	47	YES	2	Poor	
79	<i>Fraxinus uhdei</i>	Ash tree	15.0	47	YES	2	Poor	
80	<i>Fraxinus uhdei</i>	Ash tree	25.0	79	YES	3	Moderate	SD, CDB
81	<i>Fraxinus uhdei</i>	Ash tree	22.0	69	YES	3	Poor	SD,CDB, LN
82	<i>Ulmus parvifolia</i>	Elm Tree	16.0	50	YES	3	Moderate	CD, SD
83	<i>Ailanthis altissima</i>	Tree of Heaven	12.0	38	YES	2	Poor	Volunteer, SD
84	<i>Lagerstroemia indica</i>	Crepe Myrtle	5.0	16		4	Good	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
85	<i>Lagerstroemia indica</i>	Crepe Myrtle	4.0	13		4	Good	
86	<i>Lagerstroemia indica</i>	Crepe Myrtle	3.0	9		4	Good	
87	<i>Liquidambar styraciflua</i>	American Sweetgum	19.0	60	YES	3	Moderate	
88	<i>Liquidambar styraciflua</i>	American Sweetgum	21.0	66	YES	3	Moderate	
89	<i>Lagerstroemia indica</i>	Crepe Myrtle	4.0	13		4	Good	
90	<i>Lagerstroemia indica</i>	Crepe Myrtle	2.0	6		4	Moderate	LN, CD, SD
91	<i>Liquidambar styraciflua</i>	American Sweetgum	8.0	25		3	Moderate	
92	<i>Pyrus calleryana</i>	Callery Pear	10.0	31		3	Good	CDB, SD
93	<i>Sequoia sempervirens</i>	Redwood Tree	11.0	35		3	Moderate	CDB, SD, Stress
94	<i>Sequoia sempervirens</i>	Redwood Tree	22.0	69	YES	3	Moderate	CDB, SD, Stress
95	<i>Ceratonia siliqua</i>	Carob Tree	22.0	69	YES	2	Poor	SD, CDB
96	<i>Betula nigra</i>	River Birch	5.0	16		2	Poor	LN,SD
97	<i>Schinus molle</i>	Callifonia Pepper	46.0	144	YES	2	Poor	SD,LN
98	<i>Schinus molle</i>	California Pepper	44.0	138	YES	2	Poor	SD,CDB, CD
99	<i>Magnolia soulangeana</i>	Saucers Magnolia	37.0	116	YES	3	Moderate	SD, POWER LINE CONFLICT, CD
100	<i>Olea europaea</i>	Olive Tree	28.0	88	YES	3	Poor	Pruned topiary
101	<i>Quercus palustris</i>	Pin Oak	3.0	9		3	Moderate	
102	<i>Quercus palustris</i>	Pin Oak	3.0	9		3	Moderate	
103	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
104	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
105	<i>Lagerstroemia indica</i>	Crepe Myrtle	2.0	6		2	Poor	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
106	<i>Lagerstroemia indica</i>	Crepe Myrtle	1.0	3		2	Poor	
107	<i>Lagerstroemia indica</i>	Crepe Myrtle	1.0	3		2	Poor	
108	<i>Lagerstroemia indica</i>	Crepe Myrtle	1.0	3		2	Poor	
109	<i>Lagerstroemia indica</i>	Crepe Myrtle	2.0	6		2	Poor	
110	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
111	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
112	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
113	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
114	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
115	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
116	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
117	<i>Betula nigra</i>	River Birch	7.0	22		3	Moderate	
118	<i>Betula nigra</i>	River Birch	12.0	38	YES	3	Moderate	
119	<i>Betula nigra</i>	River Birch	7.0	22		3	Moderate	
120	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
121	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
122	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
123	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
124	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
125	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
126	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
127	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
128	<i>Betula nigra</i>	River Birch	5.0	16		3	Moderate	
129	<i>Betula nigra</i>	River Birch	5.0	16		3	Moderate	
130	<i>Betula nigra</i>	River Birch	10.0	31		3	Moderate	
131	<i>Betula nigra</i>	River Birch	9.0	28		3	Moderate	
132	<i>Betula nigra</i>	River Birch	6.0	19		3	Moderate	
133	<i>Betula nigra</i>	River Birch	6.0	19		3	Moderate	
134	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
135	<i>Quercus palustris</i>	Pin Oak	3.0	9		2	Poor	
136	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
137	<i>Quercus palustris</i>	Pin Oak	2.0	6		2	Poor	
138	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
139	<i>Quercus palustris</i>	Pin Oak	1.0	3		2	Poor	
140	<i>Betula nigra</i>	River Birch	4.0	13		2	Poor	
141	<i>Betula nigra</i>	River Birch	12.0	38	YES	2	Poor	
142	<i>Betula nigra</i>	River Birch	7.0	22		3	Moderate	
143	<i>Betula nigra</i>	River Birch	10.0	31		3	Moderate	
144	<i>Betula nigra</i>	River Birch	4.0	13		3	Moderate	
145	<i>Betula nigra</i>	River Birch	6.0	19		3	Moderate	
146	<i>Betula nigra</i>	River Birch	8.0	25		3	Moderate	
147	<i>Betula nigra</i>	River Birch	5.0	16		3	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
148	<i>Betula nigra</i>	River Birch	8.0	25		3	Moderate	ML, CD
149	<i>Betula nigra</i>	River Birch	5.0	16		3	Moderate	
150	<i>Betula nigra</i>	River Birch	5.0	16		2	Poor	
151	<i>Ailanthis altissima</i>	Tree of Heaven	9.0	28		2	Poor	
152	<i>Acer rubrum</i>	Maple	21.0	66	YES	4	Good	
153	<i>Cercis canadensis</i>	Redbud Tree	25.0	79	YES	2	Poor	ML
154	<i>Populus Fremontii</i>	Fremont Cottonwood	23.0	72	YES	3	Moderate	
155	<i>Populus Fremontii</i>	Fremont Cottonwood	64.0	201	YES	2	Poor	SD
156	<i>Morus Alba</i>	White Mulberry	17.0	53	YES	3	Moderate	
157	<i>Ailanthis altissima</i>	Tree of Heaven	22.0	69	YES	3	Moderate	
158	<i>Ailanthis altissima</i>	Tree of Heaven	42.0	132	YES	3	Moderate	
159	<i>Ailanthis altissima</i>	Tree of Heaven	48.0	151	YES	2	Poor	CDB, SD, LN
160	<i>Xylosma congestum</i>	Shiny Xylosma	8.0	25		3	Poor	CR
161	<i>Xylosma congestum</i>	Shiny Xylosma	8.0	25		3	Poor	CR
162	<i>Xylosma congestum</i>	Shiny Xylosma	7.0	22		3	Poor	CR
163	<i>Pyracantha sp.</i>	Pyracantha Tree	6.0	19		3	Poor	CR, ML
164	<i>Ulmus parvifolia</i>	Chinese Elm	11.0	35		3	Poor	CR, ML
165	<i>Pyrus Kawakamii</i>	Evergreen Pear	4.0	13		2	Poor	LN, Espalier
166	<i>Pyrus Kawakamii</i>	Evergreen Pear	4.0	13		2	Poor	LN, Espalier
167	<i>Pyrus Kawakamii</i>	Evergreen Pear	5.0	16		2	Poor	LN, Espalier
168	<i>Pyrus Kawakamii</i>	Evergreen Pear	6.0	19		2	Poor	LN, Espalier

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
169	<i>Pyrus Kawakamii</i>	Evergreen Pear	4.0	13		2	Poor	LN, Espalier
170	<i>Ailanthis altissima</i>	Tree of Heaven	7.0	22		2	Poor	
<b>TAGS 171-200 NOT USED</b>								
201	<i>Fraxinus uhdei</i>	Ash tree	26.0	82	YES	2	Poor	CD, SD
202	<i>Fraxinus uhdei</i>	Ash tree	55.0	173	YES	2	Poor	CD, SD
203	<i>Platanus X Hispanica</i>	London Planetree	17.0	53	YES	3	Poor	SD
204	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	3	Poor	SD
205	<i>Schinus molle</i>	California Pepper	33.0	104	YES	4	Moderate	LN, SD
206	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		4	Moderate	
207	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN,SD
208	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
209	<i>Platanus X Hispanica</i>	London Planetree	17.0	53	YES	3	Moderate	LN,SD
210	<i>Schinus molle</i>	California Pepper	32.0	100	YES	3	Moderate	
211	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	
212	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		4	Moderate	
213	<i>Platanus X Hispanica</i>	London Planetree	18.0	57	YES	4	Moderate	
214	<i>Platanus X Hispanica</i>	London Planetree	32.0	100	YES	3	Moderate	
215	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN, SD
216	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN, SD
217	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	LN,SD
218	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	SD

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
219	<i>Schinus molle</i>	California Pepper	23.0	72	YES	2	Poor	CD, SD, LN
220	<i>Schinus molle</i>	California Pepper	29.0	91	YES	2	Poor	SD, LN
221	<i>Schinus molle</i>	California Pepper	19.0	60	YES	2	Poor	SD, LN
222	<i>Schinus molle</i>	California Pepper	27.0	85	YES	2	Poor	CD, SD, LN
223	<i>Schinus molle</i>	California Pepper	24.0	75	YES	2	Poor	CD, SD, LN
224	<i>Schinus molle</i>	California Pepper	38.0	119	YES	2	Poor	CD, SD, LN
225	<i>Platanus X Hispanica</i>	London Planetree	32.0	100	YES	3	Moderate	CD, SD, IB
226	<i>Platanus X Hispanica</i>	London Planetree	23.0	72	YES	3	Moderate	
227	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
228	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		2	Poor	LN, SD
229	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		2	Poor	LN, SD
230	<i>Platanus X Hispanica</i>	London Planetree	6	19		2	Poor	
231	<i>Platanus X Hispanica</i>	London Planetree	6	19		3	Moderate	SD, LN
232	<i>Platanus X Hispanica</i>	London Planetree	10	31		3	Moderate	
233	<i>Platanus X Hispanica</i>	London Planetree	11	35		3	Moderate	ST
234	<i>Fraxinus uhdei</i>	Ash tree	20	63	YES	4	Moderate	SD, CR
235	<i>Fraxinus uhdei</i>	Ash tree	20	63	YES	3	Moderate	SD, CR
236	<i>Fraxinus uhdei</i>	Ash tree	14	44	YES	3	Moderate	SD, CR
237	<i>Fraxinus uhdei</i>	Ash tree	16	50	YES	3	Moderate	SD, CR
238	<i>Fraxinus uhdei</i>	Ash tree	17	53	YES	3	Moderate	SD, CR
239	<i>Fraxinus uhdei</i>	Ash tree	10	31		3	Moderate	SD, CR

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
240	<i>Fraxinus uhdei</i>	Ash tree	13	41	YES	3	Moderate	SD, CR
241	<i>Fraxinus uhdei</i>	Ash tree	14	44	YES	3	Moderate	SD,CR
242	<i>Fraxinus uhdei</i>	Ash tree	12	38	YES	3	Moderate	
243	<i>Fraxinus uhdei</i>	Ash tree	17	53	YES	4	Moderate	
244	<i>Albizia julibrissin</i>	Silk Tree	6	19		4	Moderate	
245	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	
246	<i>Albizia julibrissin</i>	Silk Tree	5	16		4	Moderate	
247	<i>Albizia julibrissin</i>	Silk Tree	7	22		4	Moderate	
248	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	SD
249	<i>Albizia julibrissin</i>	Silk Tree	10	31		4	Moderate	
250	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	
251	<i>Albizia julibrissin</i>	Silk Tree	6	19		4	Moderate	
252	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	
253	<i>Albizia julibrissin</i>	Silk Tree	14	44	YES	4	Moderate	
254	<i>Platanus X Hispanica</i>	London Planetree	15	47	YES	3	Poor	LN,SD, LC
255	<i>Platanus X Hispanica</i>	London Planetree	24	75	YES	4	Moderate	
256	<i>Albizia julibrissin</i>	Silk Tree	13	41	YES	4	Moderate	
257	<i>Albizia julibrissin</i>	Silk Tree	10	31		4	Moderate	
258	<i>Albizia julibrissin</i>	Silk Tree	6	19		4	Moderate	
259	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	
260	<i>Albizia julibrissin</i>	Silk Tree	8	25		4	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
<b>261</b>	<i>Albizia julibrissin</i>	Silk Tree	4	13		4	Moderate	
<b>262</b>	<i>Albizia julibrissin</i>	Silk Tree	5	16		4	Moderate	
<b>263</b>	<i>Albizia julibrissin</i>	Silk Tree	9	28		4	Moderate	
<b>264</b>	<i>Albizia julibrissin</i>	Silk Tree	4	13		4	Moderate	
<b>265</b>	<i>Platanus X Hispanica</i>	London Planetree	26	82	YES	3	Moderate	CD, SD
<b>266</b>	<i>Platanus X Hispanica</i>	London Planetree	16	50	YES	3	Moderate	CD, SD
<b>267</b>	<i>Platanus X Hispanica</i>	London Planetree	6	19		3	Moderate	LN
<b>268</b>	<i>Platanus X Hispanica</i>	London Planetree	7	22		3	Moderate	SD
<b>269</b>	<i>Platanus X Hispanica</i>	London Planetree	7	22		3	Moderate	SD
<b>270</b>	<i>Platanus X Hispanica</i>	London Planetree	8	25		3	Moderate	
<b>271</b>	<i>Platanus X Hispanica</i>	London Planetree	6	19		2	Poor	
<b>272</b>	<i>Platanus X Hispanica</i>	London Planetree	6	19		2	Poor	
<b>TAG 273 NOT USED</b>								
<b>274</b>	<i>Platanus X Hispanica</i>	London Planetree	44	138	YES	2	Poor	
<b>275</b>	<i>Platanus X Hispanica</i>	London Planetree	26	82	YES	2	Poor	
<b>278</b>	<i>Platanus X Hispanica</i>	London Planetree	6	19		2	Poor	
<b>279</b>	<i>Platanus X Hispanica</i>	London Planetree	6	19		2	Poor	
<b>280</b>	<i>Platanus X Hispanica</i>	London Planetree	22	69	YES	3	Moderate	CD , SD
<b>281</b>	<i>Platanus X Hispanica</i>	London Planetree	19.0	60	YES	3	Moderate	
<b>282</b>	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		2	Moderate	SD, LN
<b>283</b>	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		2	Poor	SD, LN

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
284	<i>Platanus X Hispanica</i>	London Planetree	5.0	16		3	Moderate	
285	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
286	<i>Platanus X Hispanica</i>	London Planetree	26.0	82	YES	3	Moderate	
287	<i>Platanus X Hispanica</i>	London Planetree	28.0	88	YES	3	Moderate	
288	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
289	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		2	Poor	SD
290	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		3	Moderate	
291	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		2	Poor	LN
292	<i>Platanus X Hispanica</i>	London Planetree	7.0	22			Moderate	
293	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
294	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
295	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	
296	<i>Schinus molle</i>	California Pepper	15.0	47	YES	3	Moderate	
297	<i>Schinus molle</i>	California Pepper	9.0	28		3	Moderate	
298	<i>Schinus molle</i>	California Pepper	10.0	31		3	Moderate	
299	<i>Schinus molle</i>	California Pepper	14.0	44	YES	3	Moderate	
300	<i>Schinus molle</i>	California Pepper	11.0	35		3	Moderate	
301	<i>Schinus molle</i>	California Pepper	6.0	19		3	Moderate	
302	<i>Schinus molle</i>	California Pepper	6.0	19		2	Poor	
303	<i>Schinus molle</i>	California Pepper	5.0	16		3	Moderate	
304	<i>Schinus molle</i>	California Pepper	6.0	19		3	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
305	<i>Schinus molle</i>	California Pepper	9.0	28		3	Moderate	
306	<i>Schinus molle</i>	California Pepper	7.0	22		3	Moderate	
307	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		3	Moderate	
308	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
309	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		2	Poor	SD, LN
310	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		3	Moderate	
311	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		2	Poor	LN, SD
312	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	SD
313	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	
314	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		2	Poor	CD, SD
315	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
316	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
317	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	LN
318	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
319	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
320	<i>Platanus X Hispanica</i>	London Planetree	13.0	41	YES	4	Moderate	
321	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
322	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	LN,SD
323	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	CDB
324	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		4	Moderate	
325	<i>Platanus X Hispanica</i>	London Planetree	14.0	44	YES	4	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
326	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		3	Poor	CDB
327	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	4	Moderate	
328	<i>Platanus X Hispanica</i>	London Planetree	18.0	57	YES	4	Moderate	
329	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD, CR
330	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD, CR
331	<i>Fraxinus uhdei</i>	Ash tree	16.0	50	YES	3	Moderate	SD, CR
332	<i>Fraxinus uhdei</i>	Ash tree	12.0	38	YES	3	Moderate	SD, CR
333	<i>Fraxinus uhdei</i>	Ash tree	19.0	60	YES	3	Moderate	SD, CR
334	<i>Fraxinus uhdei</i>	Ash tree	8.0	25		3	Moderate	SD, CR
335	<i>Fraxinus uhdei</i>	Ash tree	23.0	72	YES	3	Moderate	SD, CR
336	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD, CR
337	<i>Fraxinus uhdei</i>	Ash tree	15.0	47	YES	3	Moderate	SD, CR
338	<i>Fraxinus uhdei</i>	Ash tree	22.0	69	YES	3	Moderate	SD, CR
339	<i>Fraxinus uhdei</i>	Ash tree	24.0	75	YES	3	Moderate	SD, CR
340	<i>Fraxinus uhdei</i>	Ash tree	16.0	50	YES	3	Moderate	SD,CR
341	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD,CR
342	<i>Fraxinus uhdei</i>	Ash tree	23.0	72	YES	3	Moderate	SD,CR
343	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD,CR
344	<i>Fraxinus uhdei</i>	Ash tree	18.0	57	YES	3	Moderate	SD,CR
345	<i>Fraxinus uhdei</i>	Ash tree	12.0	38	YES	3	Moderate	SD,CR
346	<i>Fraxinus uhdei</i>	Ash tree	17.0	53	YES	3	Moderate	SD,CR

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
347	<i>Fraxinus uhdei</i>	Ash tree	15.0	47	YES	3	Moderate	SD,CR
348	<i>Fraxinus uhdei</i>	Ash tree	15.0	47	YES	3	Moderate	SD,CR
349	<i>Fraxinus uhdei</i>	Ash tree	12.0	38	YES	3	Moderate	SD,CR
350	<i>Fraxinus uhdei</i>	Ash tree	9.0	28		3	Moderate	SD,CR
351	<i>Fraxinus uhdei</i>	Ash tree	14.0	44	YES	3	Moderate	SD,CR
352	<i>Fraxinus uhdei</i>	Ash tree	5.0	16		3	Moderate	SD,CR
353	<i>Fraxinus uhdei</i>	Ash tree	17.0	53	YES	3	Moderate	SD,CR
354	<i>Fraxinus uhdei</i>	Ash tree	7.0	22		4	Moderate	SD,CR
355	<i>Fraxinus uhdei</i>	Ash tree	13.0	41	YES	3	Moderate	SD,CR
356	<i>Fraxinus uhdei</i>	Ash tree	11.0	35		3	Moderate	SD,CR
357	<i>Fraxinus uhdei</i>	Ash tree	10.0	31		3	Moderate	SD,CR
358	<i>Fraxinus uhdei</i>	Ash tree	9.0	28		3	Moderate	SD,CR
359	<i>Persea americana</i>	Avocado Tree	14.0	44		3	Moderate	
360	<i>Arbutus unedo</i>	Strawberry Tree	5.0	16		4	Good	
361	<i>Arbutus unedo</i>	Strawberry Tree	3.0	9		4	Good	
362	<i>Pistacia chinensis</i>	Chinese Pistache	21.0	66	YES	4	Moderate	
363	<i>Pistacia chinensis</i>	Chinese Pistache	13.0	41	YES	3	Moderate	
364	<i>Pistacia chinensis</i>	Chinese Pistache	17.0	53	YES	4	Moderate	
365	<i>Arbutus unedo</i>	Strawberry Tree	5.0	16		4	Good	
366	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	SD, Powerline Conflict
367	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	SD, Powerline Conflict

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
368	<i>Platanus X Hispanica</i>	London Planetree	14.0	44	YES	3	Moderate	SD, Powerline Conflict
369	<i>Washingtonia robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
370	<i>Washingtonia robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
371	<i>Washingtonia robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
372	<i>Washingtonia robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
373	<i>Washingtonia robusta</i>	Mexican Fan Palm	18.0	57	YES	4	Good	
374	<i>Washingtonia robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
375	<i>Syagrus Romanzoffiana</i>	Queen Palm	12.0	38	YES	4	Good	
376	<i>Syagrus Romanzoffiana</i>	Queen Palm	14.0	44	YES	4	Good	
377	<i>Syagrus Romanzoffiana</i>	Queen Palm	14.0	44	YES	4	Good	
378	<i>Platanus X Hispanica</i>	London Planetree	17.0	53	YES	4	Good	
379	<i>Platanus X Hispanica</i>	London Planetree	19.0	60	YES	4	Good	
380	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	4	Good	
381	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	4	Good	
382	<i>Platanus X Hispanica</i>	London Planetree	21.0	66	YES	4	Good	
383	<i>Ceratonia siliqua</i>	Carob Tree	40.0	126	YES	3	Moderate	SD, CDB
384	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	SR
385	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
386	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		3	Moderate	
387	<i>Platanus X Hispanica</i>	London Planetree	2.0	6		3	Moderate	
388	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
389	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
390	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	
391	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
392	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	3	Moderate	
393	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
394	<i>Platanus X Hispanica</i>	London Planetree	6.0	19		2	Moderate	SD, LN
395	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
396	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
397	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
398	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
399	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	
400	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	
401	<i>Platanus X Hispanica</i>	London Planetree	13.0	41	YES	3	Moderate	
402	<i>Platanus X Hispanica</i>	London Planetree	13.0	41	YES	4	Moderate	CR
403	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		4	Moderate	CR
404	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		4	Moderate	CR
405	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	CR
406	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		4	Moderate	CR
407	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		4	Moderate	CR
408	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	4	Moderate	CR
409	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		4	Moderate	CR

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
410	<i>Platanus X Hispanica</i>	London Planetree	18.0	57	YES	4	Moderate	CR
411	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
412	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
413	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
414	<i>Washingtonia Robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
415	<i>Washingtonia Robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
416	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
417	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
418	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
419	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
420	<i>Quercus agrifolia</i>	Coast Live Oak	38.0	119	YES	4	Good	
421	<i>Lagerstromia indica</i>	Crepe Myrtle	5.0	16		3	Moderate	SD
422	<i>Lagerstromia indica</i>	Crepe Myrtle	8.0	25		3	Moderate	SD
423	<i>Lagerstromia indica</i>	Crepe Myrtle	9.0	28		3	Moderate	SD
424	<i>Lagerstromia indica</i>	Crepe Myrtle	8.0	25		3	Moderate	SD
425	<i>Platanus X Hispanica</i>	London Planetree	20.0	63	YES	4	Good	
426	<i>Platanus X Hispanica</i>	London Planetree	20.0	63	YES	4	Good	
427	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
428	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
429	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
430	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
431	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
432	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
433	<i>Phoenix canariensis</i>	Date Palm	32.0	100	YES	3	Moderate	
434	<i>Platanus X Hispanica</i>	London Planetree	17.0	53	YES	4	Good	
435	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	4	Good	
436	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	4	Good	
437	<i>Platanus X Hispanica</i>	London Planetree	20.0	63	YES	4	Good	
438	<i>Platanus X Hispanica</i>	London Planetree	22.0	69	YES	4	Good	
439	<i>Platanus X Hispanica</i>	London Planetree	20.0	63	YES	4	Good	
440	<i>Magnolia grandiflora</i>	Magnolia Tree	19.0	60	YES	4	Good	
441	<i>Magnolia grandiflora</i>	Magnolia Tree	14.0	44	YES	4	Good	
442	<i>Magnolia grandiflora</i>	Magnolia Tree	13.0	41	YES	3	Moderate	CDB
443	<i>Prunus cerasifera</i>	Flowering Plum	12.0	38	YES	3	Moderate	
444	<i>Magnolia grandiflora</i>	Magnolia Tree	26.0	82	YES	3	Moderate	CDB, SD, EH
445	<i>Ulmus parvifolia</i>	Chinese Elm Tree	13.0	41	YES	3	Moderate	
446	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
447	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
448	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
449	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
450	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
451	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
452	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
453	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
454	<i>Washingtonia Robusta</i>	Mexican Fan Palm	11.0	35		4	Good	
455	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
456	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
457	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
458	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
459	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
460	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
461	<i>Prunus cerasifera</i>	Flowering Plum	12.0	38	YES	3	Moderate	SD
462	<i>Washingtonia Robusta</i>	Mexican Fan Palm	16.0	50	YES	4	Good	
463	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
464	<i>Washingtonia Robusta</i>	Mexican Fan Palm	12.0	38	YES	4	Good	
465	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
466	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
467	<i>Cinnamomum camphora</i>	Camphor Tree	8.0	25		2	Moderate	CDB, SD
468	<i>Cinnamomum camphora</i>	Camphor Tree	6.0	19		3	Good	
469	<i>Cinnamomum camphora</i>	Camphor Tree	7.0	22		3	Good	
470	<i>Cinnamomum camphora</i>	Camphor Tree	7.0	22		3	Good	
471	<i>Cinnamomum camphora</i>	Camphor Tree	7.0	22		3	Good	
472	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	


TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
473	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		4	Moderate	
474	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		4	Moderate	
475	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
476	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		4	Moderate	
477	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
478	<i>Cinnamomum camphora</i>	Camphor Tree	9.0	28		4	Good	CR
479	<i>Lagerstromia indica</i>	Crepe Myrtle	5.0	16		4	Good	CR
480	<i>Cinnamomum camphora</i>	Camphor Tree	8.0	25		4	Good	CR
481	<i>Lagerstromia indica</i>	Crepe Myrtle	6.0	19		4	Good	CR
482	<i>Lagerstromia indica</i>	Crepe Myrtle	6.0	19		4	Good	CR
483	<i>Lagerstromia indica</i>	Crepe Myrtle	6.0	19		4	Good	CR
484	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		4	Moderate	
485	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
486	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
487	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		4	Moderate	
488	<i>Platanus X Hispanica</i>	London Planetree	7.0	22		3	Moderate	LN
489	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN
490	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN
491	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	
492	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	
493	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	


TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
494	<i>Platanus X Hispanica</i>	London Planetree	13.0	41	YES	3	Moderate	
495	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		4	Moderate	LN
496	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
497	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	
498	<i>Platanus X Hispanica</i>	London Planetree	8.0	25		3	Moderate	LN
499	<i>Platanus X Hispanica</i>	London Planetree	9.0	28		3	Moderate	LN
500	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
501	<i>Platanus X Hispanica</i>	London Planetree	10.0	31		3	Moderate	LN
502	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
503	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	3	Moderate	LN
504	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	LN
505	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	
506	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	
507	<i>Platanus X Hispanica</i>	London Planetree	16.0	50	YES	3	Moderate	
508	<i>Platanus X Hispanica</i>	London Planetree	13.0	41	YES	3	Moderate	
509	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
510	<i>Platanus X Hispanica</i>	London Planetree	12.0	38	YES	3	Moderate	
511	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
512	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	
513	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
514	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	


TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
515	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
516	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
517	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
518	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
519	<i>Washingtonia Robusta</i>	Mexican Fan Palm	13.0	41	YES	4	Good	
520	<i>Washingtonia Robusta</i>	Mexican Fan Palm	15.0	47	YES	4	Good	
521	<i>Washingtonia Robusta</i>	Mexican Fan Palm	14.0	44	YES	4	Good	
522	<i>Platanus X Hispanica</i>	London Planetree	28.0	88	YES	3	Moderate	SR
523	<i>Platanus X Hispanica</i>	London Planetree	15.0	47	YES	3	Moderate	SR
524	<i>Cedrus deodara</i>	Deodar Cedar	21.0	66	YES	3	Moderate	SD,EH
525	<i>Schinus molle</i>	Pepper Tree	34.0	107	YES	3	Moderate	SD
526	<i>Schinus molle</i>	Pepper Tree	16.0	50	YES	3	Moderate	SD
527	<i>Platanus X Hispanica</i>	London Planetree	14.0	44	YES	3	Moderate	SR
528	<i>Platanus X Hispanica</i>	London Planetree	26.0	82	YES	3	Moderate	SR
529	<i>Platanus X Hispanica</i>	London Planetree	28.0	88	YES	3	Moderate	SR
530	<i>Platanus X Hispanica</i>	London Planetree	11.0	35		3	Moderate	SR
531	<i>Platanus X Hispanica</i>	London Planetree	17.0	53	YES	3	Moderate	SR
532	<i>Ulmus parvifolia</i>	Chinese Elm Tree	22.0	69	YES	3	Moderate	
533	<i>Platanus X Hispanica</i>	London Planetree	28.0	88	YES	3	Moderate	
534	<i>Fraxinus uhdei</i>	Ash Tree	28.0	88	YES	3	Moderate	
535	<i>Prunus cerasifera</i>	Flowering Plum	14.0	44	YES	2	Poor	

TREE #	BOTANICAL NAME	COMMON NAME	DBH (INCHES)	CIRCUMFERENCE (INCHES)	ORDINANCE TREE	HEALTH	PRESERVATION SUITABILITY	NOTES
536	<i>Lagerstromia indica</i>	Crepe Myrtle	5.0	16		2	Poor	
537	<i>Lagerstromia indica</i>	Crepe Myrtle	4.0	13		2	Poor	
538	<i>Lagerstromia indica</i>	Crepe Myrtle	6.0	19		2	Poor	
539	<i>Platanus X Hispanica</i>	London Planetree	24.0	75	YES	3	Moderate	
540	<i>Platanus X Hispanica</i>	London Planetree	28.0	88	YES	3	Moderate	
541	<i>Platanus X Hispanica</i>	London Planetree	25.0	79	YES	3	Moderate	SD,EH
542	<i>Prunus cerasifera</i>	Flowering Plum	24.0	75	YES	3	Moderate	
543	<i>Pistacia chinensis</i>	Chinese Pistache	9.0	28		3	Moderate	
544	<i>Pistacia chinensis</i>	Chinese Pistache	7.0	22		3	Moderate	
545	<i>Pistacia chinensis</i>	Chinese Pistache	9.0	28		3	Moderate	
546	<i>Pistacia chinensis</i>	Chinese Pistache	8.0	25		3	Moderate	
547	<i>Pistacia chinensis</i>	Chinese Pistache	9.0	28		3	Moderate	
548	<i>Pistacia chinensis</i>	Chinese Pistache	5.0	16		3	Moderate	
549	<i>Pistacia chinensis</i>	Chinese Pistache	9.0	28		3	Moderate	
550	<i>Pistacia chinensis</i>	Chinese Pistache	9.0	28		2	Poor	SD, ST, HD
551	<i>Prunus cerasifera</i>	Flowering Plum	36.0	113	YES	3	Moderate	
552	<i>Prunus cerasifera</i>	Flowering Plum	44.0	138	YES	3	Moderate	
553	<i>Robinia x ambigua</i>	Locust Tree	5.0	16		3	Moderate	SR,SD
554	<i>Robinia x ambigua</i>	Locust Tree	4.0	13		3	Moderate	SR, EH
555	<i>Robinia x ambigua</i>	Locust Tree	6.0	19		3	Moderate	SR
556	<i>Robinia x ambigua</i>	Locust Tree	7.0	22		3	Moderate	SR



















19







20





21

















43



64







46




47




48



































86



88



87





92



93







94




























134



135




136





















DUE TO SITE ACCESS STAGING  
TAGS 160-200 WERE NOT USED

SERIES STARTS AGAIN AT 201




















233








244





















297




298




299
















271



308




279






304



305




306




311



313




321




320




310



309












336






337




338

















367




368






369

























































468



469



470





